



①




SURFACE TREATMENT		GRAINES	UNDER	UNDER	UNDER	UNDER	UNDER	UNDER	UNDER	PREVIOUS DRAWING
		0.2	0.8	6.3	25	100	250	500	1000	U1-0E045
REVISIONS										
NO.	LC NO.	DESCRIPTION	DATE	ZONE	APP. PROVER	CHECK. ED	DRWN			
Column doors: exhaust side										

← 防振ステー配置可能位置

← POSITION OF ENGINE STAY

ENGINE STAY TYPE	①	②	③	④	TOTAL	DRAWING NO.
FRICION CASE1	○	○	○	○	4	U2-1E001
CASE2	○	○	○	○	2	



\*SPACE FOR REMOVAL  
開放スペース

1		ENGINE OUTLINE VIEW				1
		機関全体外形図				
PART NO.	MARK	DESCRIPTION	MATERIALS	QTY	PIECE TOTAL	QUANTITY PER SET
開発部	APPROVED	6UEC35LSE				出原先
江戸	木下	ENGINE OUTLINE VIEW (MET33MB)				保証
CHECKED	吉川	機関全体外形図 (MET33MB)			1/1	製造
DRAWN	吉川				00-00	生計
3rd ANGLE PROJECTION		DATE DRAWN	2020-09-01	DRAWING NO.	U1-0E103	REVNO.
		SCALE	1/40			設計
		Weid shall comply with JIS (Japan Industrial Standards)				校計
		Metric shall comply with JIS unless otherwise specified.				

COMMON VARIATION OF TOLERANCE (M/M)	RATINGS OF NOMINAL DIMENSION	OVER 0.5 TO 3	OVER 30 TO 120	OVER 150 TO 400	OVER 400 TO 1000	OVER 1000 TO 2000	OVER 2000 TO 4000	OVER 4000 TO 8000	OVER 8000 TO 16000
	TOLERANCE	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2.0	±2.5

THIS DRAWING IS THE PROPERTY OF JAPAN ENGINE CORPORATION AND SHALL NOT BE REPRODUCED, NOT BE USED TO FURNISH ANY INFORMATION FOR MAKING DRAWINGS OR APPARATUS EXCEPT FOR THE CASE WHERE JAPAN ENGINE CORPORATION AGREES WITH WRITTEN MATERIALS.

ACAD